## ACCESSORIES

## **MOUNTING CLAMPS**



THE CLAMP The clamp assembly retains and protects the filter from vibration, shock, and noise. It also helps the filter to remain stable and prevent leakage. Our mounting clamps are "tailor made" for our in-line filters. All clamps are stainless steel.



THE CUSHION Manufactured from a thermoplastic elastomer. It's built tough to withstand the effects of most oils, chemicals, and other industrial fluids, in temperatures from -50°F to 275°F. Interlock edge insures the cushion remains in place.

Order by Part Number							
For Housing Series	Part Number						
1000	HCOC16SS						
2000	HCOC20SS						
3000 / 4000	HCOC24SS						
9000 / 16000	HCOC32SS						
14000	HCOC34SS						
Hardware not Included							

## STAINLESS STEEL FILTER ELEMENTS

The filter element can be used in an existing housing or with a self-made adapter. It can even be laid in the bottom of a fuel cell and be used as a suction filter. With a perforated support tube on both inside and outside, fluid can flow either inside-out or outside-in. The end caps are soldered to the element to aid in a wide range of chemical compatibility applications. This element is cleanable.

This filter element, like the above filter, can also be used in an existing housing or with a self-made adapter. It too, can be laid in the bottom of a fuel tank and used as a suction filter. The perforated support tube is on the inside and can only be used for outside-in flow. This element is cleanable.



SINGLE OPEN END, LIGHT PERFORATION INSIDE & OUTSIDE



SINGLE OPEN END, LIGHT PERFORATION INSIDE ONLY

Order by Part Number										
Basic Configuration	Media Material	Flow Rate (GPM)	Filtration Area (Sq. In.)	Weight w/Element	Dimensions	Filtration Sizes Micron				
Single open end, light perforation inside & outside	304 Stainless Steel	Up To 12	140	4.6 oz.	7.88" OAL x 1.67" OD x .69" ID	148	7	4	63	
						MODEL NUMBER				
						8108	810	8109-01 81		
Single open end, light perforation inside only	304 Stainless Steel	Up To 12 140	140	4.3 oz.	7.88" OAL x 1.67" OD x .69" ID	120	100	74	63	
						MODEL NUMBER				
						8109-05	8109-04	8109-03	8109-02	