



FILTER ELEMENT QUICK REFERENCE GUIDE

FILTER ELEMENTS ONLY - Stainless Steel										
FILTER ELEMENT SERIES	Page	Pressure Rating PSI	Filtration Area SQ. IN.	Element Weight OZ.	Avail. Micron Size	Standard Seals	Overall Length OAL	Outer Dia. OD	Inner Dia. ID	For Model Series
Perforated Inside and Outside										
8108	13	250 PSI	140 SQ. IN.	4.6 OZ.	149	N/A	7.88"	1.67"	.69"	N/A
8109					63					
8109-01					74					
Perforated Inside Only										
8109-02	13	250 PSI	140 SQ. IN.	4.3 OZ.	63	N/A	7.88"	1.67"	.69"	N/A
8109-03					74					
8109-04					100					
8109-05					120					
6180	5	250 PSI	1 SQ. IN.	1 OZ.	10, 25, 40, 74, 149	Buna	N/A	.75"	N/A	1000
Single Open End SOE										
9133	5	250 PSI	12 SQ. IN.	2 OZ.	25, 40, 74, 149	Buna	1.94"	.83"	.39"	2000
8286	6		20 SQ. IN.		3 OZ.		10, 25, 40, 74, 149	3.26"	1.03"	.58"
8736	9		40 SQ. IN.	2.83"				1.60"	1.08"	9000
8731	7 / 11		60 SQ. IN.	4 OZ.	10, 25, 40, 74, 100, 149		5.68"	1.60"	1.08"	14000 16000
Double Open End DOE										
6177	12	300 PSI	2.5 SQ. IN.	2 OZ.	25, 40, 74, 149	N/A	1.19"	.75"	.60"	Y2SS